

Design: Joshua Skeen & Bob Robins

Channel	Pos	U#	Instrument Type & Accessory & Load	Purpose	Clr & Gbo	Dm	Addr
(12)	Grid	7	ETC Source 4 36deg 575w	A1 F	R02		1/43
(17)	Grid	27	ChromaQ Color Force 12 120w	A1 D			1/130
(18)	Grid	56	ETC Source 4 36deg 575w	A1 B	R51		1/53
(19)	Grid	26	ChromaQ Color Force 12 120w	A1 D			1/135
(22)	Grid	5	ETC Source 4 36deg 575w	A2 F	R02		1/36
(27)	Grid	25	ChromaQ Color Force 12 120w	A2 D			1/140
(28)	Grid	54	ETC Source 4 36deg 575w	A2 B	R51		1/25
(29)	Grid	24	ChromaQ Color Force 12 120w	A2 D			1/145
(32)	Grid	10	ETC Source 4 36deg 575w	A3 F	R02		1/45
(37)	Grid	38	ChromaQ Color Force 12 120w	A3 D			1/120
(38)	Grid	57	ETC Source 4 36deg 575w	A3 B	R51		1/57
(39)	Grid	37	ChromaQ Color Force 12 120w	A3 D			1/125
(42)	Grid	17	ETC Source 4 36deg 575w	A4 F	R02		1/48
(47)	Grid	50	ChromaQ Color Force 12 120w	A4 D			1/100
(48)	Grid	64	ETC Source 4 36deg 575w	A4 B	R51		1/60
(49)	Grid	49	ChromaQ Color Force 12 120w	A4 D			1/105
(52)	Grid	15	ETC Source 4 36deg 575w	A5 F	R02		1/33
(57)	Grid	48	ChromaQ Color Force 12 120w	A5 D			1/110
(58)	Grid	63	ETC Source 4 36deg 575w	A5 B	R51		1/21
(59)	Grid	47	ChromaQ Color Force 12 120w	A5 D			1/115
(61)	Grid	35	ETC Source 4 36deg 575w	Entrance SR	N/C		1/49
(63)	Grid	34	ETC Source 4 36deg 575w	Entrance SL	N/C		1/30
(72)	Grid	2	ETC Source 4 36deg 575w	Street S	N/C		1/41
(78)	Grid	65	ETC Source 4 36deg 575w	Street S	N/C		1/59

Channel	Pos	U#	Instrument Type & Accessory & Load	Purpose	Clr & Gbo	Dm	Addr
(84)	Grid	13	ETC Source 4 36deg 575w	Street S	N/C		1/75
(86)	Grid	12	ETC Source 4 36deg 575w	Street S	N/C		1/5
(92)	Grid	1	ETC Source 4 36deg 575w	Street S	N/C		1/39
(98)	Grid	62	ETC Source 4 36deg 575w	Street S	N/C		1/22
(111)	Grid	30	ETC Source 4 36deg 575w	SR Texture	R3203, T: R77119		1/70
(113)	Grid	22	ETC Source4 PAR WFL 575w	SR Wash	R37		1/69
(114)	Grid	29	ETC Source4 PAR WFL 575w	SR Wash	R362		1/72
(131)	Grid	23	ETC Source 4 36deg 575w	SL Texture	R3203, T: R77119		1/11
(133)	Grid	20	ETC Source4 PAR WFL 575w	SL Wash	R37		1/34
(134)	Grid	31	ETC Source4 PAR WFL 575w	SL Wash	R362		1/12
(171)	Grid	51	ETC Source 4 36deg 575w	SR Texture	R3203, T: R77119		1/67
(173)	Grid	45	ETC Source4 PAR WFL 575w	SR Wash	R37		1/66
(174)	Grid	53	ETC Source4 PAR WFL 575w	SR Wash	R362		1/54
(191)	Grid	46	ETC Source 4 36deg 575w	SL Texture	R3203, T: R77119		1/14
(193)	Grid	42	ETC Source4 PAR WFL 575w	SL Wash	R37		1/9
(194)	Grid	52	ETC Source4 PAR WFL 575w	SL Wash	R362		1/16
(201)	Grid	21	ETC Source 4 36deg 575w	Afternoon Blinds	N/C, T: Custom		1/79
(202)	Grid	28	ETC Source 4 36deg 575w	Evening Blinds	N/C, T: Custom		1/74
(204)	Grid	19	ETC Source 4 36deg 575w	Morning Blinds	N/C, T: Custom		1/80
(205)	Grid	18	ETC Source 4 36deg 575w	Bus US	N/C, T: R77139		1/78
(206)	Grid	11	ETC Source 4 36deg 575w	Bus DS	N/C, T: R77139		1/42
(302)	Grid	6	Chauvet Intimidator Hybrid 140SR 260w	Mover	R351		1/300

Channel	Pos	U#	Instrument Type & Accessory & Load	Purpose	Clr & Gbo	Dm	Addr
(308)	Grid	55	Chauvet Intimidator Hybrid 140SR 260w	Mover	R351		1/325
(400)	Groun d	76	Chauvet COLORado Batten 72 Tour 88w	Wall			1/470
(401)	Groun d	77	Chauvet COLORado Batten 72 Tour 88w	Wall			1/480
(402)	Groun d	78	Chauvet COLORado Batten 72 Tour 88w	Wall			1/490
(403)	Groun d	79	Chauvet COLORado Batten 72 Tour 88w	Wall			1/500
(404)	Grid	8	1.4kW	Wall			1/510
(407)	Grid	4	1.4kW	Wall			1/350
(408)	Groun d	66	Chauvet COLORado Batten 72 Tour 88w	Wall			1/430
(409)	Groun d	67	Chauvet COLORado Batten 72 Tour 88w	Wall			1/440
(410)	Groun d	68	Chauvet COLORado Batten 72 Tour 88w	Wall			1/450
(411)	Groun d	69	Chauvet COLORado Batten 72 Tour 88w	Wall			1/460
(413)	Groun d	70	ChromaQ Color Force 12 120w	Wall			1/425
(414)	Groun d	71	ChromaQ Color Force 12 120w	Wall			1/420
(415)	Groun d	72	ChromaQ Color Force 12 120w	Wall			1/415
(416)	Groun d	73	ChromaQ Color Force 12 120w	Wall			1/410
(417)	Groun d	74	ChromaQ Color Force 12 120w	Wall			1/405
(418)	Groun d	75	ChromaQ Color Force 12 120w	Wall			1/400
(430)	Grid	44	ETC Source 4 36deg 575w	Forest Texture	R3203, T: R77119		1/51

Channel	Pos	U#	Instrument Type & Accessory & Load	Purpose	Clr & Gbo	Dm	Addr
(431)	Grid	33	ETC Source 4 36deg 575w	Forest Texture	R3203, T: R77119		1/47
(432)	Grid	16	ETC Source 4 36deg 575w	Forest Texture	R3203, T: R77119		1/46
(433)	Grid	14	ETC Source 4 36deg 575w	Forest Texture	R3203, T: R77119		1/32
(434)	Grid	32	ETC Source 4 36deg 575w	Forest Texture	R3203, T: R77119		1/31
(435)	Grid	43	ETC Source 4 36deg 575w	Forest Texture	R3203, T: R77119		1/26
(450)	Grid	61	Chauvet Ovation C-640FC 175w	Woods			1/275
(451)	Grid	60	Chauvet Ovation C-640FC 175w	Woods			1/250
(452)	Grid	59	Chauvet Ovation C-640FC 175w	Woods			1/225
(453)	Grid	58	Chauvet Ovation C-640FC 175w	Woods			1/200
(460)	Grid	41	ETC Source 4 50deg 575w	Forest Texture	R3203, T: R77119		1/52
(461)	Grid	40	ETC Source 4 50deg 575w	Forest Texture	R3203, T: R77119		1/55
(475)		62	ETC Source 4 36deg 575w	Pit Breakup	R99		
(490)	Grid	3	Chauvet AmHaz e Stadium Open 1.23kW	Hazer			1/355
(501)	Grid	39	Altman 18in Scoop 1.5kW	House Light	R99		1/50
(502)	Grid	9	Altman 18in Scoop 1.5kW	House Light	R99		1/44
(503)	Grid	36	Altman 18in Scoop 1.5kW	House Light	R99		1/29

Design: Joshua Skeen & Bob Robins

Address	Chan	Pos	U#	Instrument Type & Accessory & Load	Purpose	Clr & Gbo
1/5	(86)	Grid	12	ETC Source 4 36deg 575w	Street S	N/C
1/9	(193)	Grid	42	ETC Source4 PAR WFL 575w	SL Wash	R37
1/11	(131)	Grid	23	ETC Source 4 36deg 575w	SL Texture	R3203, T: R77119
1/12	(134)	Grid	31	ETC Source4 PAR WFL 575w	SL Wash	R362
1/14	(191)	Grid	46	ETC Source 4 36deg 575w	SL Texture	R3203, T: R77119
1/16	(194)	Grid	52	ETC Source4 PAR WFL 575w	SL Wash	R362
1/21	(58)	Grid	63	ETC Source 4 36deg 575w	A5 B	R51
1/22	(98)	Grid	62	ETC Source 4 36deg 575w	Street S	N/C
1/25	(28)	Grid	54	ETC Source 4 36deg 575w	A2 B	R51
1/26	(435)	Grid	43	ETC Source 4 36deg 575w	Forest Texture	R3203, T: R77119
1/29	(503)	Grid	36	Altman 18in Scoop 1.5kW	House Light	R99
1/30	(63)	Grid	34	ETC Source 4 36deg 575w	Entrance SL	N/C
1/31	(434)	Grid	32	ETC Source 4 36deg 575w	Forest Texture	R3203, T: R77119
1/32	(433)	Grid	14	ETC Source 4 36deg 575w	Forest Texture	R3203, T: R77119
1/33	(52)	Grid	15	ETC Source 4 36deg 575w	A5 F	R02
1/34	(133)	Grid	20	ETC Source4 PAR WFL 575w	SL Wash	R37
1/36	(22)	Grid	5	ETC Source 4 36deg 575w	A2 F	R02
1/39	(92)	Grid	1	ETC Source 4 36deg 575w	Street S	N/C
1/41	(72)	Grid	2	ETC Source 4 36deg 575w	Street S	N/C
1/42	(206)	Grid	11	ETC Source 4 36deg 575w	Bus DS	N/C, T: R77139
1/43	(12)	Grid	7	ETC Source 4 36deg 575w	A1 F	R02

Address	Chan	Pos	U#	Instrument Type & Accessory & Load	Purpose	Clr & Gbo
1/44	(502)	Grid	9	Altman 18in Scoop 1.5kW	House Light	R99
1/45	(32)	Grid	10	ETC Source 4 36deg 575w	A3 F	R02
1/46	(432)	Grid	16	ETC Source 4 36deg 575w	Forest Texture	R3203, T: R77119
1/47	(431)	Grid	33	ETC Source 4 36deg 575w	Forest Texture	R3203, T: R77119
1/48	(42)	Grid	17	ETC Source 4 36deg 575w	A4 F	R02
1/49	(61)	Grid	35	ETC Source 4 36deg 575w	Entrance SR	N/C
1/50	(501)	Grid	39	Altman 18in Scoop 1.5kW	House Light	R99
1/51	(430)	Grid	44	ETC Source 4 36deg 575w	Forest Texture	R3203, T: R77119
1/52	(460)	Grid	41	ETC Source 4 50deg 575w	Forest Texture	R3203, T: R77119
1/53	(18)	Grid	56	ETC Source 4 36deg 575w	A1 B	R51
1/54	(174)	Grid	53	ETC Source4 PAR WFL 575w	SR Wash	R362
1/55	(461)	Grid	40	ETC Source 4 50deg 575w	Forest Texture	R3203, T: R77119
1/57	(38)	Grid	57	ETC Source 4 36deg 575w	A3 B	R51
1/59	(78)	Grid	65	ETC Source 4 36deg 575w	Street S	N/C
1/60	(48)	Grid	64	ETC Source 4 36deg 575w	A4 B	R51
1/66	(173)	Grid	45	ETC Source4 PAR WFL 575w	SR Wash	R37
1/67	(171)	Grid	51	ETC Source 4 36deg 575w	SR Texture	R3203, T: R77119
1/69	(113)	Grid	22	ETC Source4 PAR WFL 575w	SR Wash	R37
1/70	(111)	Grid	30	ETC Source 4 36deg 575w	SR Texture	R3203, T: R77119
1/72	(114)	Grid	29	ETC Source4 PAR WFL 575w	SR Wash	R362
1/74	(202)	Grid	28	ETC Source 4 36deg 575w	Evening Blinds	N/C, T: Custom

Address	Chan	Pos	U#	Instrument Type & Accessory & Load	Purpose	Clr & Gbo
1/75	(84)	Grid	13	ETC Source 4 36deg 575w	Street S	N/C
1/78	(205)	Grid	18	ETC Source 4 36deg 575w	Bus US	N/C, T: R77139
1/79	(201)	Grid	21	ETC Source 4 36deg 575w	Afternoon Blinds	N/C, T: Custom
1/80	(204)	Grid	19	ETC Source 4 36deg 575w	Morning Blinds	N/C, T: Custom
1/100	(47)	Grid	50	ChromaQ Color Force 12 120w	A4 D	
1/105	(49)	Grid	49	ChromaQ Color Force 12 120w	A4 D	
1/110	(57)	Grid	48	ChromaQ Color Force 12 120w	A5 D	
1/115	(59)	Grid	47	ChromaQ Color Force 12 120w	A5 D	
1/120	(37)	Grid	38	ChromaQ Color Force 12 120w	A3 D	
1/125	(39)	Grid	37	ChromaQ Color Force 12 120w	A3 D	
1/130	(17)	Grid	27	ChromaQ Color Force 12 120w	A1 D	
1/135	(19)	Grid	26	ChromaQ Color Force 12 120w	A1 D	
1/140	(27)	Grid	25	ChromaQ Color Force 12 120w	A2 D	
1/145	(29)	Grid	24	ChromaQ Color Force 12 120w	A2 D	
1/200	(453)	Grid	58	Chauvet Ovation C-640FC 175w	Woods	
1/225	(452)	Grid	59	Chauvet Ovation C-640FC 175w	Woods	
1/250	(451)	Grid	60	Chauvet Ovation C-640FC 175w	Woods	
1/275	(450)	Grid	61	Chauvet Ovation C-640FC 175w	Woods	
1/300	(302)	Grid	6	Chauvet Intimidator Hybrid 140SR 260w	Mover	R351
1/325	(308)	Grid	55	Chauvet Intimidator Hybrid 140SR 260w	Mover	R351
1/350	(407)	Grid	4	1.4kW	Wall	
1/355	(490)	Grid	3	Chauvet AmHaz e Stadium Open 1.23kW	Hazer	
1/400	(418)	Ground	75	ChromaQ Color Force 12 120w	Wall	
1/405	(417)	Ground	74	ChromaQ Color Force 12 120w	Wall	

Address	Chan	Pos	U#	Instrument Type & Accessory & Load	Purpose	Clr & Gbo
1/410	(416)	Ground	73	ChromaQ Color Force 12 120w	Wall	
1/415	(415)	Ground	72	ChromaQ Color Force 12 120w	Wall	
1/420	(414)	Ground	71	ChromaQ Color Force 12 120w	Wall	
1/425	(413)	Ground	70	ChromaQ Color Force 12 120w	Wall	
1/430	(408)	Ground	66	Chauvet COLORado Batten 72 Tour 88w	Wall	
1/440	(409)	Ground	67	Chauvet COLORado Batten 72 Tour 88w	Wall	
1/450	(410)	Ground	68	Chauvet COLORado Batten 72 Tour 88w	Wall	
1/460	(411)	Ground	69	Chauvet COLORado Batten 72 Tour 88w	Wall	
1/470	(400)	Ground	76	Chauvet COLORado Batten 72 Tour 88w	Wall	
1/480	(401)	Ground	77	Chauvet COLORado Batten 72 Tour 88w	Wall	
1/490	(402)	Ground	78	Chauvet COLORado Batten 72 Tour 88w	Wall	
1/500	(403)	Ground	79	Chauvet COLORado Batten 72 Tour 88w	Wall	
1/510	(404)	Grid	8	1.4kW	Wall	

TABLE OF CONTENTS

Grid	1	Ground	4
------------	---	--------------	---

Design: Joshua Skeen & Bob Robins

Grid

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	Street S	ETC Source 4 36deg	575w	N/C	(92)	1/39	
2	Street S	ETC Source 4 36deg	575w	N/C	(72)	1/41	
3	Hazer	Chauvet AmHaz e Stadium Open	1.23kW		(490)	1/355	
4	Wall		1.4kW		(407)	1/350	
5	A2 F	ETC Source 4 36deg	575w	R02	(22)	1/36	
6	Mover	Chauvet Intimidator Hybrid 140SR	260w	R351	(302)	1/300	
7	A1 F	ETC Source 4 36deg	575w	R02	(12)	1/43	
8	Wall		1.4kW		(404)	1/510	
9	House Light	Altman 18in Scoop	1.5kW	R99	(502)	1/44	
10	A3 F	ETC Source 4 36deg	575w	R02	(32)	1/45	
11	Bus DS	ETC Source 4 36deg	575w	N/C, T: R77139	(206)	1/42	
12	Street S	ETC Source 4 36deg	575w	N/C	(86)	1/5	
13	Street S	ETC Source 4 36deg	575w	N/C	(84)	1/75	
14	Forest Texture	ETC Source 4 36deg	575w	R3203, T: R77119	(433)	1/32	
15	A5 F	ETC Source 4 36deg	575w	R02	(52)	1/33	
16	Forest Texture	ETC Source 4 36deg	575w	R3203, T: R77119	(432)	1/46	
17	A4 F	ETC Source 4 36deg	575w	R02	(42)	1/48	
18	Bus US	ETC Source 4 36deg	575w	N/C, T: R77139	(205)	1/78	
19	Morning Blinds	ETC Source 4 36deg	575w	N/C, T: Custom	(204)	1/80	
20	SL Wash	ETC Source4 PAR WFL	575w	R37	(133)	1/34	
21	Afternoon Blinds	ETC Source 4 36deg	575w	N/C, T: Custom	(201)	1/79	
22	SR Wash	ETC Source4 PAR WFL	575w	R37	(113)	1/69	

Grid

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
23	SL Texture	ETC Source 4 36deg	575w	R3203, T: R77119	(131)	1/11	
24	A2 D	ChromaQ Color Force 12	120w		(29)	1/145	
25	A2 D	ChromaQ Color Force 12	120w		(27)	1/140	
26	A1 D	ChromaQ Color Force 12	120w		(19)	1/135	
27	A1 D	ChromaQ Color Force 12	120w		(17)	1/130	
28	Evening Blinds	ETC Source 4 36deg	575w	N/C, T: Custom	(202)	1/74	
29	SR Wash	ETC Source4 PAR WFL	575w	R362	(114)	1/72	
30	SR Texture	ETC Source 4 36deg	575w	R3203, T: R77119	(111)	1/70	
31	SL Wash	ETC Source4 PAR WFL	575w	R362	(134)	1/12	
32	Forest Texture	ETC Source 4 36deg	575w	R3203, T: R77119	(434)	1/31	
33	Forest Texture	ETC Source 4 36deg	575w	R3203, T: R77119	(431)	1/47	
34	Entrance SL	ETC Source 4 36deg	575w	N/C	(63)	1/30	
35	Entrance SR	ETC Source 4 36deg	575w	N/C	(61)	1/49	
36	House Light	Altman 18in Scoop	1.5kW	R99	(503)	1/29	
37	A3 D	ChromaQ Color Force 12	120w		(39)	1/125	
38	A3 D	ChromaQ Color Force 12	120w		(37)	1/120	
39	House Light	Altman 18in Scoop	1.5kW	R99	(501)	1/50	
40	Forest Texture	ETC Source 4 50deg	575w	R3203, T: R77119	(461)	1/55	
41	Forest Texture	ETC Source 4 50deg	575w	R3203, T: R77119	(460)	1/52	
42	SL Wash	ETC Source4 PAR WFL	575w	R37	(193)	1/9	
43	Forest Texture	ETC Source 4 36deg	575w	R3203, T: R77119	(435)	1/26	

Grid

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
44	Forest Texture	ETC Source 4 36deg	575w	R3203, T: R77119	(430)	1/51	
45	SR Wash	ETC Source4 PAR WFL	575w	R37	(173)	1/66	
46	SL Texture	ETC Source 4 36deg	575w	R3203, T: R77119	(191)	1/14	
47	A5 D	ChromaQ Color Force 12	120w		(59)	1/115	
48	A5 D	ChromaQ Color Force 12	120w		(57)	1/110	
49	A4 D	ChromaQ Color Force 12	120w		(49)	1/105	
50	A4 D	ChromaQ Color Force 12	120w		(47)	1/100	
51	SR Texture	ETC Source 4 36deg	575w	R3203, T: R77119	(171)	1/67	
52	SL Wash	ETC Source4 PAR WFL	575w	R362	(194)	1/16	
53	SR Wash	ETC Source4 PAR WFL	575w	R362	(174)	1/54	
54	A2 B	ETC Source 4 36deg	575w	R51	(28)	1/25	
55	Mover	Chauvet Intimidator Hybrid 140SR	260w	R351	(308)	1/325	
56	A1 B	ETC Source 4 36deg	575w	R51	(18)	1/53	
57	A3 B	ETC Source 4 36deg	575w	R51	(38)	1/57	
58	Woods	Chauvet Ovation C-640FC	175w		(453)	1/200	
59	Woods	Chauvet Ovation C-640FC	175w		(452)	1/225	
60	Woods	Chauvet Ovation C-640FC	175w		(451)	1/250	
61	Woods	Chauvet Ovation C-640FC	175w		(450)	1/275	
62	Street S	ETC Source 4 36deg	575w	N/C	(98)	1/22	
63	A5 B	ETC Source 4 36deg	575w	R51	(58)	1/21	
64	A4 B	ETC Source 4 36deg	575w	R51	(48)	1/60	
65	Street S	ETC Source 4 36deg	575w	N/C	(78)	1/59	

Ground

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
66	Wall	Chauvet COLORado Batten 72 Tour	88w		(408)	1/430	
67	Wall	Chauvet COLORado Batten 72 Tour	88w		(409)	1/440	
68	Wall	Chauvet COLORado Batten 72 Tour	88w		(410)	1/450	
69	Wall	Chauvet COLORado Batten 72 Tour	88w		(411)	1/460	
70	Wall	ChromaQ Color Force 12	120w		(413)	1/425	
71	Wall	ChromaQ Color Force 12	120w		(414)	1/420	
72	Wall	ChromaQ Color Force 12	120w		(415)	1/415	
73	Wall	ChromaQ Color Force 12	120w		(416)	1/410	
74	Wall	ChromaQ Color Force 12	120w		(417)	1/405	
75	Wall	ChromaQ Color Force 12	120w		(418)	1/400	
76	Wall	Chauvet COLORado Batten 72 Tour	88w		(400)	1/470	
77	Wall	Chauvet COLORado Batten 72 Tour	88w		(401)	1/480	
78	Wall	Chauvet COLORado Batten 72 Tour	88w		(402)	1/490	
79	Wall	Chauvet COLORado Batten 72 Tour	88w		(403)	1/500	

TABLE OF CONTENTS

R51	1	R362	5
R3203	2	N/C	6
R02	3	R99	7
R37	4	R351	8

Design: Joshua Skeen & Bob Robins

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
R51	Grid	54	ETC Source 4 36deg	575w	A2 B		(28)	
	Grid	56	ETC Source 4 36deg	575w	A1 B		(18)	
	Grid	57	ETC Source 4 36deg	575w	A3 B		(38)	
	Grid	63	ETC Source 4 36deg	575w	A5 B		(58)	
	Grid	64	ETC Source 4 36deg	575w	A4 B		(48)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
R3203	Grid	14	ETC Source 4 36deg	575w	Forest Texture	R77119	(433)	
	Grid	16	ETC Source 4 36deg	575w	Forest Texture	R77119	(432)	
	Grid	23	ETC Source 4 36deg	575w	SL Texture	R77119	(131)	
	Grid	30	ETC Source 4 36deg	575w	SR Texture	R77119	(111)	
	Grid	32	ETC Source 4 36deg	575w	Forest Texture	R77119	(434)	
	Grid	33	ETC Source 4 36deg	575w	Forest Texture	R77119	(431)	
	Grid	40	ETC Source 4 50deg	575w	Forest Texture	R77119	(461)	
	Grid	41	ETC Source 4 50deg	575w	Forest Texture	R77119	(460)	
	Grid	43	ETC Source 4 36deg	575w	Forest Texture	R77119	(435)	
	Grid	44	ETC Source 4 36deg	575w	Forest Texture	R77119	(430)	
	Grid	46	ETC Source 4 36deg	575w	SL Texture	R77119	(191)	
	Grid	51	ETC Source 4 36deg	575w	SR Texture	R77119	(171)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
R02	Grid	5	ETC Source 4 36deg	575w	A2 F		(22)	
	Grid	7	ETC Source 4 36deg	575w	A1 F		(12)	
	Grid	10	ETC Source 4 36deg	575w	A3 F		(32)	
	Grid	15	ETC Source 4 36deg	575w	A5 F		(52)	
	Grid	17	ETC Source 4 36deg	575w	A4 F		(42)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
R37	Grid	20	ETC Source4 PAR WFL	575w	SL Wash		(133)	
	Grid	22	ETC Source4 PAR WFL	575w	SR Wash		(113)	
	Grid	42	ETC Source4 PAR WFL	575w	SL Wash		(193)	
	Grid	45	ETC Source4 PAR WFL	575w	SR Wash		(173)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
R362	Grid	29	ETC Source4 PAR WFL	575w	SR Wash		(114)	
	Grid	31	ETC Source4 PAR WFL	575w	SL Wash		(134)	
	Grid	52	ETC Source4 PAR WFL	575w	SL Wash		(194)	
	Grid	53	ETC Source4 PAR WFL	575w	SR Wash		(174)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
N/C	Grid	1	ETC Source 4 36deg	575w	Street S		(92)	
	Grid	2	ETC Source 4 36deg	575w	Street S		(72)	
	Grid	11	ETC Source 4 36deg	575w	Bus DS	R77139	(206)	
	Grid	12	ETC Source 4 36deg	575w	Street S		(86)	
	Grid	13	ETC Source 4 36deg	575w	Street S		(84)	
	Grid	18	ETC Source 4 36deg	575w	Bus US	R77139	(205)	
	Grid	19	ETC Source 4 36deg	575w	Morning Blinds	Custom	(204)	
	Grid	21	ETC Source 4 36deg	575w	Afternoon Blinds	Custom	(201)	
	Grid	28	ETC Source 4 36deg	575w	Evening Blinds	Custom	(202)	
	Grid	34	ETC Source 4 36deg	575w	Entrance SL		(63)	
	Grid	35	ETC Source 4 36deg	575w	Entrance SR		(61)	
	Grid	62	ETC Source 4 36deg	575w	Street S		(98)	
	Grid	65	ETC Source 4 36deg	575w	Street S		(78)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
R99		62	ETC Source 4 36deg	575w	Pit Breakup		(475)	
	Grid	9	Altman 18in Scoop	1.5kW	House Light		(502)	
	Grid	36	Altman 18in Scoop	1.5kW	House Light		(503)	
	Grid	39	Altman 18in Scoop	1.5kW	House Light		(501)	

Color	Position	U#	Type & Acc	Load	Purpose	Gobo	Ch	Dim
R351	Grid	6	Chauvet Intimidator Hybrid 140SR	260w	Mover		(302)	
	Grid	55	Chauvet Intimidator Hybrid 140SR	260w	Mover		(308)	

TABLE OF CONTENTS

R77119	1	Custom	2
		R77139	3

Design: Joshua Skeen & Bob Robins

R77119


Pos	U#	Instrument Type & Accessory	Load	Purpose	Color	Chan	Dm
Grid	14	ETC Source 4 36deg	575w	Forest Texture	R3203	(433)	
Grid	16	ETC Source 4 36deg	575w	Forest Texture	R3203	(432)	
Grid	23	ETC Source 4 36deg	575w	SL Texture	R3203	(131)	
Grid	30	ETC Source 4 36deg	575w	SR Texture	R3203	(111)	
Grid	32	ETC Source 4 36deg	575w	Forest Texture	R3203	(434)	
Grid	33	ETC Source 4 36deg	575w	Forest Texture	R3203	(431)	
Grid	40	ETC Source 4 50deg	575w	Forest Texture	R3203	(461)	
Grid	41	ETC Source 4 50deg	575w	Forest Texture	R3203	(460)	
Grid	43	ETC Source 4 36deg	575w	Forest Texture	R3203	(435)	
Grid	44	ETC Source 4 36deg	575w	Forest Texture	R3203	(430)	
Grid	46	ETC Source 4 36deg	575w	SL Texture	R3203	(191)	
Grid	51	ETC Source 4 36deg	575w	SR Texture	R3203	(171)	

Custom

Pos	U#	Instrument Type & Accessory	Load	Purpose	Color	Chan	Dm
Grid	19	ETC Source 4 36deg	575w	Morning Blinds	N/C	(204)	
Grid	21	ETC Source 4 36deg	575w	Afternoon Blinds	N/C	(201)	
Grid	28	ETC Source 4 36deg	575w	Evening Blinds	N/C	(202)	

R77139

Pos	U#	Instrument Type & Accessory	Load	Purpose	Color	Chan	Dm
Grid	11	ETC Source 4 36deg	575w	Bus DS	N/C	(206)	
Grid	18	ETC Source 4 36deg	575w	Bus US	N/C	(205)	



Typical Symbol

Purpose
Grid
Unit Number
Channel

Symbol Key

Symbol	Description	Count
	ChromaQ Color Force 12	16
	ETC Source 4 36deg	34
	Chauvet AmHaze Stadium Open	1
	Chauvet Intimidator Hybrid 140SR	2
	Chauvet COLORado Batten 72 Tour	8
	Altman 18in Scoop	3
	Chauvet Ovation C-640FC	4
	ETC Source 4 50deg	2
	ETC Source4 PAR WFL	8
	PR Lighting Theatre Wash	2

Color Summary

Color	Size	Count
R02	6.25"	5
R51	6.25"	5
N/C	6.25"	13
R3203	6.25"	12
R351	N/A	2
R99	Altman 18in Scoop	3
R362	7.5"	4
R37	7.5"	4
R99	6.25"	1

Production Title	The Spitfire Grill	
Drawing Title	Light Plot	
Designer	Joshua Skeen	
Director	Dr. Gretchen Teague	
Venue	Sunderland Studio Theatre	
Date	10/27/25	Scale 1/4" = 1'0"